

NL130

Elevating Work Platform



www.nifty-lift.com.au

P: +61 3 9725 0077 | sales@nifty-lift.com.au



ELEVATING
WORK PLATFORMS

NL130

Elevating Work Platform



Working Height
13.2m



Ground-Basket
11.2m



Rated Capacity
180kg



Working Reach
9.6m



To Basket Edge
8.9m




Continuous Slew
360°



Basket Rotation
180°

Features & Benefits:

- Patented 4 function proportional joystick control gives single handed basket manoeuvrability
- Optimized high strength fibreglass boom design
- Designed specifically to comply with Australian Standards
- Operator safety is ensured with high voltage insulation to 66kV
- High volume hydraulic system gives experienced operators high speed boom functions
- Vertical stabilisers and zero tail swing for safe work near roadways
- Roto-moulded removable covers designed to withstand the rigours of industry
- Heavy duty steel tray featuring rope rails, tie down points and anti-slip
- Ground access and basket tilt function for easy operator rescue



The NL130 – Raising Expectations

The highly productive NL130 is designed specifically for contractors and municipalities who are seeking a strong and reliable insulated EWP. With a quick setup time, intuitive basket controls, excellent flight envelope and robust boom construction the NL130 will meet the most demanding worksite requirements.

Optional Accessories

- Higher productivity is achievable with optional spring lockouts for 360 continuous slew without deploying stabilisers.
- Standard mount (basket to rear) available for streetlight & electrical contractors
- Extensive range of bodywork options including toolboxes, cone holders, vices, lighting, towbars and cab protection.

NL130

Advanced Features

Engine Start/Stop, integrated
E-Stop & 180° basket rotator

Multi-function proportional
joystick control gives single
handed basket manoeuvrability

Hydraulic tools outlet to
basket and tray with oil
cooler as standard

Optimised structural fibreglass
booms for maximum lifespan


High volume hydraulic system
gives experienced operators
high speed boom functions

Heavy duty steel
tray featuring tie
down points and
anti-slip treatment

4 x Vertical stabilisers for
working in traffic control or
on steep inclines

Suitable for multiple
brands of cab chassis -
4x2 and 4x4

Hand pumps
for emergency
operation of EWP
and stabilisers



Visit us online for more information at www.nifty-lift.com.au



ELEVATING
WORK PLATFORMS

Why Choose Nifty-Lift?

Designed & Engineered In Australia

Our optimised designs ensure greater job site performance coupled with less downtime, giving you higher productivity and lower cost of ownership over the life of the work platform. Nifty-Lift has over 25 years of experience designing innovative access solutions, and through extensive industry consultation and the use of cutting edge engineering software we have produced a range of industry leading models. Our experience and expertise gives owners and operators piece of mind when working at height in a Nifty-Lift elevating work platform.

After Sales Support

We support our work platforms through their entire lifecycle, not just under warranty. The team of highly experienced Nifty-Lift service technicians are available to assist operators, fleet owners and workshops with training, advice, documentation and product upgrades. We partner with our customers for life.

Parts Department

Nifty-Lift stocks thousands of genuine spare parts. We can easily arrange overnight freight for all your spares and service items to ensure your EWP is returned to service with minimal downtime.

Nifty-Lift reserves the right to alter specifications without notice. Photographs and drawings in this document are for illustrative purposes only. Product shown in photos contains optional features. Nifty-Lift, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Please contact Nifty-Lift for current and detailed specifications.



ELEVATING
WORK PLATFORMS

www.nifty-lift.com.au

P: +61 3 9725 0077 | sales@nifty-lift.com.au