

NL200KTF

Elevating Work Platform



www.nifty-lift.com.au

P: +61 3 9725 0077 | sales@nifty-lift.com.au



ELEVATING
WORK PLATFORMS

NL200KTF

Elevating Work Platform



Working Height
20m



Ground-Basket
18m



Rated Capacity
435kg



Working Reach
12.8m



To Basket Edge
12.1m



Fly Boom
180°



Continuous Slew
360°



Basket Rotation
180°

Features & Benefits:

- Full 180° articulating fly boom gives unrivalled access to go under or between obstacles.
- Practical bottom boom allows operators to position upper boom horizontally between wires.
- Large 1500mm wide basket with full capacity 180° rotation allows two people to face their job with ease.
- Our Enhanced User Interface provides intuitive operation, a detailed user guide, help screens, fault diagnosis and overrides to guarantee minimal downtime.
- Rated for use in wind up to 72km/h.
- Operator safety is ensured with wet high voltage insulation to 132kV/33kV/LV.
- Narrow rear outriggers with three limited slew windows provide plenty of flexibility at difficult jobsites.
- Full ground level access for basket loading and rescue up to 9.0 metres from the vehicle.
- Simplified large joystick controls with fully proportional speed control and dual deadman which is ideal for live line conditions.
- Rounded and nested profile covers and low profile basket frame ensure wires and branches do not catch during tight works.




Build and Maintain Your Network

The NL200KTF is a highly adaptable EWP, able to carry out the big construction jobs, but also capable of smaller maintenance jobs in the urban environment. The KTF range has been praised by fleet owners for delivering a 30% productivity improvement over existing EWPs. Benefiting from the flexibility of the 180° articulating fly boom and 180° basket rotator, the NL200KTF makes work safer, faster and easier.

Optional Accessories

- Many basket options including hydraulic tool outlets, various lifting and material handling attachments and tie off points
- Long stroke stabilisers are available for increased levelling ability in steep locations
- Extensive range of bodywork options including toolboxes, cable drum reels, signage racks, cone holders, vices, lighting and towbar kits!
- And many more options available



NL200KTF

Advanced Features

Optional basket liner available for live line work (reduces to 400kg Rated Capacity)

Patented IICL high voltage boom eliminates internal cleaning

180 degree articulating fly boom

Large 1670mm wide basket with 180° basket rotator


High volume closed circuit hydraulic system for quick, multi-function operation

Customised bodywork design available

Dash mounted Enhanced User Interface for operational assistance and diagnostics

Hand pumps for emergency operation of work platform and stabilisers

Suitable for multiple brands of cab chassis - 6x4 and 6x6



Visit us online for more information at www.nifty-lift.com.au

ELEVATING
WORK PLATFORMS

Why Choose Nifty-Lift?

Designed & Engineered In Australia

Our optimised designs ensure greater job site performance coupled with less downtime, giving you higher productivity and lower cost of ownership over the life of the work platform. Nifty-Lift has over 25 years of experience designing innovative access solutions, and through extensive industry consultation and the use of cutting edge engineering software we have produced a range of industry leading models. Our experience and expertise gives owners and operators piece of mind when working at height in a Nifty-Lift elevating work platform.

After Sales Support

We support our work platforms through their entire lifecycle, not just under warranty. The team of highly experienced Nifty-Lift service technicians are available to assist operators, fleet owners and workshops with training, advice, documentation and product upgrades. We partner with our customers for life.

Parts Department

Nifty-Lift stocks thousands of genuine spare parts. We can easily arrange overnight freight for all your spares and service items to ensure your EWP is returned to service with minimal downtime.

Nifty-Lift reserves the right to alter specifications without notice. Photographs and drawings in this document are for illustrative purposes only. Product shown in photos contains optional features. Nifty-Lift, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Please contact Nifty-Lift for current and detailed specifications.



ELEVATING
WORK PLATFORMS

www.nifty-lift.com.au

P: +61 3 9725 0077 | sales@nifty-lift.com.au

